

# **Short and sweet: Citrix Receiver in OpenSuSe Tumbleweed**

23.02.25

Pegasi Knowledge https://ghost.pegasi.fi/wiki/









## **Table of Contents**

Short and sweet: Citrix Receiver in OpenSuSe Tumbleweed	3
Download rpm from Citrix	3
Install with zypper	3
Check file association	
Check Firefox application association	3
Other considerations	4



### Short and sweet: Citrix Receiver in OpenSuSe Tumbleweed

I've just installed a fresh OpenSuSe Tumbleweed and just decided to write down as I install Citrix Receiver.

#### **Download rpm from Citrix**

At the time of writing the latest receiver rpm can be found Citrix website. Use SuSe full package, not the SuSe 11 SP3 package.

#### Install with zypper

zypper in ICAClient-suse-13.2.1.328635-0.x86\_64.rpm

#### Check file association

Create a dummy ica launch file to check if it is already associated correctly

touch dummy.ica

There are multiple ways to do this.

I think in KDE you can search file associations from the start menu, look for Citrix and set .ica files to start with Citrix Receiver Engine.

In Gnome you can open file browser, click the right key on top of the dummy.ica and select properties - open with - Citrix Receiver Engine - Set as default.

Just in case you don't have the Citrix Receiver Engine listed you can always browse the application manually. It should be something like:

/opt/Citrix/ICAClient/wfica.sh

#### **Check Firefox application association**

In Firefox preferences - Applications see that Citrix ICA settings file is set to open with Citrix Receiver Engine.



# Short and sweet: Citrix Receiver in OpenSuSe Tumbleweed

23.02.25

4/4

#### Other considerations

It may be that you must install your organizations CA to access the Citrix gateway. Also you may have to set window size from full screen to a fixed size from the Citrix portal page (settings).

After this it just worked. Nice.